IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) An imaging apparatus, which creates an image file and is associated with an external memory, comprising:

a connector configured to attach and detach said external memory in which a plurality of information files are stored, each of the plurality of information files including <u>first</u> information data related to an item being described in advance, and one of a switching <u>attribute</u>, an information data changing attribute and an information data replacement attribute being defined corresponding to each of the plurality of information files;

a first display device configured to display said plurality of information files stored in the external memory attached by the connector;

a first selection device configured to select one of the plurality of information files displayed by said first display device;

a second display device configured to display the <u>first</u> information data, which are described in advance in the information file selected by said first selection device and related to the corresponding item;

a second selection device configured to select the <u>first</u> information data, which are displayed by said second display device; [[and]]

name of each of the plurality of information files previously stored in the external memory, to be displayed, when the switching attribute corresponding to the selected information file is defined;

an information data changing device configured to change the first information data, which are selected by the second selection device, when the information data changing attribute corresponding to the selected information file is defined;

2

an information data replacement device configured to replace the first information data, which are described in the information file selected by the first selection device, with second information data, which are previously described in the imaging apparatus, and to register the second information data into the corresponding image file, when the information data replacement attribute corresponding to the selected information file is defined; and

an adding device configured to register the information data, which is selected from the information data described in advance in the selected information file by said second selection device, into the corresponding image file.

2-4. (Canceled)

5. (Currently Amended) An imaging apparatus <u>according to claim 1</u>, <u>further which</u> ereates an image file and is associated with an external memory, comprising:

a connector configured to attach and detach said external memory in which a plurality of information files are stored, each of the plurality of information files including information data being described in advance;

a first display configured to display said plurality of information files;

a first selection device configured to select one of the plurality-of-information-files displayed by said-first display device;

a second display device configured to display the information data, which are described in advance in the information file selected by said first selection device;

a second selection device configured to select the information data, which are displayed by said second display device;

an adding device configured to write the information data, which is selected by said second selection device, into the corresponding image file; and

a confirmation device configured to confirm the <u>first</u> information data, which is selected by said second selection device.

6-9. (Canceled)

- 10. (Previously Presented) An imaging apparatus according to claim 1, wherein the image file is in Exif image format.
- 11. (Currently Amended) An imaging apparatus according to claim [[2]] 1, wherein the attribute of each of the plurality of information files is defined in each of the plurality of information files stored in the external memory.
- 12. (Currently Amended) An imaging apparatus according to claim [[2]] 1, wherein the attribute of each of the plurality of information files is defined in a file provided in other than each of the plurality of information files stored in the external memory.

13-15. (Canceled)

16. (Previously Presented) An imaging apparatus according to claim 5, wherein the confirmation device is configured to display all at once the information data selected by the second selection device from each of the plurality of information files.